

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1491	710/1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:14
L2	377	710/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:14
L3	372	710/7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:14
L4	704	710/20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:15
L5	362	710/21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:15
L6	927	710/33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:15
L7	3242	I1 or I2 or I3 or I4 or I5 or I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:15
L8	191	I7 and ((frequent\$4 or common\$4) with (access\$4 or use\$3) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:17

L9	5	l7 and (copy with (frequent\$4 or common\$4) with (access\$4 or use\$3) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:24
L10	6931	(copy or stor\$4) with (frequent\$4 or common\$4) with (access\$4 or use\$3) near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:25
L11	2822	(copy or stor\$4) near3 (frequent\$4 or common\$4) near3 (access\$4 or use\$3) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:25
L12	266	((copy or stor\$4) near3 (frequent\$4 or common\$4) near3 (access\$4 or use\$3) near2 data). ab,ti	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:54
L13	3	l12 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:26
L14	2	((copy or stor\$4) near3 (frequent\$4 or common\$4) near3 (access\$4 or use\$3) near2 data with class\$3).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:29
L15	1	multi?processor\$2 with memory with (determin\$3 or decid\$3) with (frequent\$3 or common\$3) with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:01
L16	32746	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with (writ\$3 or output\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:36

L17	0	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with than with (writ\$3 or output\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:23
L18	0	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with "than" with (writ\$3 or output\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:24
L19	0	l16 with than	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:27
L20	0	l16 with "than"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:27
L21	0	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with (writ\$3 or output\$3) same "then"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:33
L22	3	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with (writ\$3 or output\$3) and "then"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:34
L23	0	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with (writ\$3 or output\$3) same "than"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:34
L24	10	(read\$3 or input\$3) near3 (frequent\$3 or common\$3) with (writ\$3 or output\$3) and "than"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:34

L25	6716	((read\$3 or input\$3) near3 (frequent\$3 or common\$3) with (writ\$3 or output\$3)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:36
L26	797	l16 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:37
L27	43	l25 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:37